

Ultra Small motherboard series:



Femto-ITX (84 x 55 mm) SBC,
Pico-ITX (102 x 73 mm) SBC,
Compact (90.8 x 76.25 mm) SBC



Main Features

- Low Power Consumption-ideal be integrated as PoE client system or mobile solutions.
- Ultra small & Slim design-easily be integrated into space-limited applications
- Flexible I/O & fanless design
- Maximum performance and extreme reliability






- Intel 6th / 7th Skylake-U / Kaby Lake-U Core i, Celeron CPU
- Intel Apollo Lake N4200 / N3350 / E3950 CPU
- Intel® Bay Trail (Dual / Quad Core) CPU
- Intel Ivy Bridge 1047UE / i3 / i7 CPU



Ultra Small motherboard series



Model Name	PALM-I	TERA	NET-I	TWIN
Chassis Dimension	92.4W x 61.1D x 28H mm	145W x 106.2 D x 56.5H mm	106W x 85 D x 30H mm	145 W x 84 D x 35 H mm
Material	Aluminum	Aluminum	Aluminum	Aluminum
Weight	155 g (Incl. M/B)	900 g (Incl. M/B)	410 g (Incl. M/B)	700 g (Incl. M/B)
Storage Space	mSATA	mSATA / 1 x 2.5" HDD	mSATA	mSATA



Model Name	BLADE	BLADE HDD	SHARK 7" / 10.1" / 13.3" Medical
Chassis Dimension	150 W x 80.8 D x 18H mm	150 W x 80.8 D x 42H mm	184.7 W x 122.5 D x 40 H mm (7") 250 W x 168 D x 40 H mm (10.1") 349.2 W x 220.8 D x 40 H mm (13.3")
Material	Aluminum	Aluminum	Aluminum
Weight	260 g (Incl. M/B)	470 g (Incl. M/B)	2 / 2.3 / 2.7Kg (Incl. M/B)
Storage Space	mSATA	mSATA / 2.5" HDD	mSATA / 2.5" HDD (10.1" / 13.3")