

31390AW



Support **4K** UHD resolution content

Maximizing performance 3.5" Single Board Computers  
with Intel® Apollo Lake SoC Processor


**Lex** SYSTEM®





## Maximizing performance 3.5" Single Board Computers with **Intel® Apollo Lake SoC Processor**

LEX Computech released of the next generation 3.5" motherboard with wide range 9~36V DC power input: 3I390AW is based on the latest Intel® Apollo Lake processor, integrated 2 x GbE LAN, 6 x USB, 6 x COM Port and VGA, DVI display interface that offer the ideal platforms for high performance applications in Digital Signage, medical devices, POS/Kiosk, gaming machines, automation, military & industrial facilities.



## 31390AW Completed solution for IoT & Industry 4.0

- Intel® Apollo Lake N4200 / N3350 / E3950 SoC CPU / chipset
- 1 x DDR3L SODIMM socket, max. Upto 8GB
- Display Interface: VGA & DVI
- 2 x Intel GbE, 2 x Mini PCIe, 1 x SIM
- 6 x USB (4 x USB 3.0 + 2 x USB 2.0), HD Audio, 6 x COM
- Wide Range DC IN +9~36V
- Wide temperature support of -40°C ~ 70°C
- Support 4K UHD resolution content








**TASK+3I390AW**

## TASK Series

Dimension: 77H x 210W x 125D mm

- Super Excellent heat-dissipating System
- Robust & Powerful Fanless Embedded solution



Data Sheet (PDF)

**Lex** SYSTEM<sup>®</sup>